

MME 2.0 Proposal 6

Open issues

01	Main 3.6	Does an ISO standard exists for quaternions?
02	Main 4.4, 5.2	An underscore (ASCII 95) is used for the separation of <testnumber>, <referencesystem> and <channelcode>. Is it therefore not allowed to use it within the <testnumber>?
03	Main 5.2	The data section is surrounded by an begin-line and an end-line. Is the end-line necessary?
04	Main 6.1	Should the filename-syntax of a channel file be shown in the directory structure?
05	RED A 1.1	Definition of a float value
06	RED A 1.1	Definition of a string value
07	RED A 1.2.1	Should additional descriptors start with a „+“ sign?
08	RED A 1.2.1	Should the nesting of blocks be allowed?
09	RED A 1.2.2.2	NHTSA - Closing speed?
10	RED A 1.2.2.2	NHTSA – Offset?
11	RED A 1.2.2.2	NHTSA - Comments 70 character?
12	RED A 1.2.6.1	The distortion index is not part of the new ISO 8721 and should be omitted
13	RED A 1.2.6.2	Should the name for COR-files be fix?
14	RED A 1.2.6.3	Should the name for IMH-files be fix?
15	Main 3.9, RED A 1.3.1	Should the column separator only be „one or multiple tabulation stops“?
16	RED A 1.3.x	Should the descriptor „Data format edition number“ be part of every data file?
17	RED A 1.3.4.1	Testobject obsolete?
18	RED A 1.3.4.2	Multicomponent data files possible?
19		
20		