


ISO codes for pulltest

ECE R 14 / FMVSS210

point of application	N
sensor location	cylinder of pull machine
dimension	force
	displacement


	ISO code	
1	T?TDSB000000FOX?	traction device shoulder belt
1	T?TDSB000000DSX?	traction device shoulder belt
2	T?TDLB000000FOX?	traction device lap belt
2	T?TDLB000000DSX?	traction device lap belt
3	T? TDCG 000000FOX?	traction device center of gravity
3	T? TDCG 000000DSX?	traction device center of gravity



ISO codes for pulltest
ECE R 14 / FMVSS210

point of application	N
sensor location	cylinder of pull machine
dimension	force displacement

	ISO code	
1	T?TDSB000000FOX?	traction device shoulder belt
1	T?TDSB000000DSX?	traction device shoulder belt
2	T?TDLB000000FOX?	traction device lap belt
2	T?TDLB000000DSX?	traction device lap belt
3	T? TDCG 000000FOX?	traction device center of gravity
3	T? TDCG 000000DSX?	traction device center of gravity
4	T? TDCG 000000FOX?	traction device center of gravity
4	T? TDCG 000000DSX?	traction device center of gravity



Problem: definition of the position of the center of gravity of the 60% part

ISO codes for pulltest
ISOFIX ECE R14

	point of application	N
	sensor location	cylinder of pull machine
	dimension	force
		displacement


	ISO code	
1	T?TD??000000FOX?	traction device ??
1	T?TD??000000DSX?	traction device ??



**ISO codes for pulltest
top tether pull / ADR34**

	point of application	N
	sensor location	cylinder of pull machine
	dimension	force
		displacement

	ISO code	
1	T? TDTT 000000FOX?	traction device top tether
1	T? TDTT 000000DSX?	traction device top tether
2	T? TDCG 000000FOX?	traction device center of gravity
2	T? TDCG 000000DSX?	traction device center of gravity



Toptether ISOCode: TOPT

Problem: definition of the position of the center of gravity of the 60% part

**ISO codes for pulltest
head restraint ECE R17**

	point of application	N
	sensor location	
	dimension	force
		displacement
		moment (calculated)
		angle

	ISO code	
1	T?????000000FOX?	??
1	T?????000000DSX?	??
2	T?????000000FOX?	??
2	T?????000000MOX?	??

