

# **MME TaskForce**

## **NetMeeting 20130312**

### **Draft Agenda**

# MME TaskForce Meeting – Agenda

**12.03.2013**

**10:00 - 12:00**

**(GMT+1)**

- Introduction
- Date and place of the next meeting
- Figures
- MME 2.0 Status
- MME-Forum



# Introduction

## Participants (intended):

- |                             |            |
|-----------------------------|------------|
| – Uwe Carstensen            | Faurecia   |
| – Dirk Vetter               | IAT        |
| – Sebastian Rings           | MeasX      |
| – Paul Wellicome            | MIRA       |
| – Peter Derpmann-Hagenström | Volkswagen |

# Next meeting

— Date:

-> ??.0?.2013

— Place:

-> At measX in Moenchengladbach / Germany



# Figures

**Dummy figures** -> <http://www.iso-mme.org/forum/viewforum.php?f=69>

E2, ER, S2, H3, HF, HM, Y2, Y6, Y7, Q0, Q1, Q2, Q3, Q4, Q6  
are finished in edition 2

Open issues for WS, P2, P3, BR

-> for details please see next page

**Vehicle figures** -> <http://www.iso-mme.org/forum/viewforum.php?f=77>

->

# MME 1.6 – Corrections of DB or Figures

WS	Change <code>shld</code> Shoulder to <code>shri</code> Shoulder Rib	Discussion
WS	<code>thsp</code> instead of <code>spin</code> is ok but AK3 and AK5 have to be informed	Information
P2,P3	<code>head</code> and <code>chst</code> AC Z to small in DB-Output	DB
H3,HF,HM	Number of <code>suma</code> measurements (1, 2 or 3)?	Check
BR	Remove <code>HEAD0000BRAAY</code> , <code>HEAD0000BREV0</code> , <code>HEADRE00BREV0</code>	DB
BR	Change “Thorax Spine” to “Thoracic Spine”	DB
BR	Add box in figure for <code>THSP0100BRAV</code>	Figure
BR	Add <code>THSP0800BRAV</code>	DB
BR	Add ACY components for <code>THSP01</code> , <code>THSP08</code> , <code>LUSP01</code>	DB
BR	Remove LE/RI variants of <code>THSP01LE/RI</code> <code>BRAC</code>	DB
BR	Possible channels <code>PELV0000BRAAY</code> , <code>HEADRE00BRACX</code> ?	Check
BR	FOY, MOX, MOZ for <code>NECKLO00BR</code> ?	Check
All types	Change temperature measurement location from <code>SPIN</code> to <code>THSP</code>	Discussion
	What is the general rule for the usage of the FineLocations ?	Discussion
	Where should general rules be written down ?	Discussion

# MME 2.0 Status

Information for SC12 voting send to experts/representatives in:

- France, Brazil, Germany, Italy, Japan, Netherlands, Spain, Sweden, USA and UK

Not informed up to now (no experts known):

- Canada, China, Korea, India, Russian Federation

The revised versions of the maindocument and RED A are published at

-> <http://www.iso-mme.org/forum/viewtopic.php?f=35&t=336>

# MME-Forum – Additional codes

☐ Physical Dimension for Area

-> accepted; item should be closed and DB updated

☐ Channelcode for Static test

-> discussion

☐ Coding for Hybrid III String Pot Chest

-> Item remains open for now for further discussion of chest deflection channels.

☐ Channelcodes for Q10 Dummy

-> Only FL3 QA is fixed. Item remains open for now for further discussion as required.

☐ ISO Codes for RibEye™ Multi-point Deflection Measurement

-> Item remains open for now for further discussion of chest deflection channels.

☐ 1157 Child Restraint coding

-> Item remains open for now for further discussion as required. (Fig. SEAT\_2)

Signs: ☐ ☒ ☒



# MME-Forum – TS 13499 - Suggestions

☐ Codes for WorldSID

->

☐ Testtypes, Subtypes and Regulations

->

Signs: ☐ ☒ ☒

